

FMY FORMULA D 15W-40

Ford Cargo Engine Oil

PRODUCT DESCRIPTION

FMY Formula D 15W-40 is a synthetic based diesel engine oil, which is specially developed for Ford Cargo trucks manufactured in 2009 and before. It provides excellent protection even when used with diesel fuel containing sulfur up to 500 ppm.

CHARACTERISTICS

- It maintains its performance during long oil change intervals recommended by the orjinal equipment manufacturers due to its high thermal and oxidation stability.
- It protects the engine against wear by providing fast lubrication of the engine parts during cold start-up due to its easy fluidity at low temperatures.
- It extends the life of the engine parts by keeping them clean due to its improved additive system.
- It provides outstanding protection by performing needed lubrication even under the extreme operating conditions.

APPLICATIONS

It is suitable to be used in the engines of Ford Cargo trucks manufactured in 2009 and before.

FORD APPROVAL

Ford WSS-M2C927-A

PACKAGING AND PART NUMBERS

15W/40-M2C927-7L Liters 14 Liters 15W/40-M2C927-14L 16 KG 15W/40-M2C927-16KGL 15W/40-M2C927-180KGL 180 KG

FMY. TDS. 004/Rev. 06/20.08.2020



1/2



TYPICAL PROPERTIES

Density @15°C, g/ml	ASTM D 4052	0.886
Viscosity $@40^{\circ}C$, mm^{2}/s	ASTM D 445	98.0
Viscosity @100°C, mm²/s	ASTM D 445	13.4
Viscosity Index	ASTM D 2270	137
Flash Point, °C	ASTM D 92	227
Pour Point, °C	ASTM D 97	-30
TBN, mgKOH/g	ASTM D 2896	12.5

HEALTH and SAFETY RECOMMENDATIONS

Waste products must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used products may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers spesifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as quarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.

2/2

FMY. TDS. 004/Rev. 06/20.08.2020

