

technical data sheet

Fullmax 5W-30

Improved Fuel Economy and Maximum Protection









PRODUCT DESCRIPTION

Fullmax 5W-30, is a synthetic fuel economy engine oil which is developed for gasoline or diesel engines of passenger vehicles and light commercial vehicles. It provides effective wear protection due to its specially developed additives and high quality base oils.

APPLICATIONS

- It is suitable to use in gasoline or diesel engines of passenger vehicles and light commerical vehicles.
- It can be used in Ford branded passenger cars and ligh commercial vehicles with or without Diesel Particulate Filter (DPF), requiring Ford WSS-M2C913-B, Ford WSS-M2C913-C and Ford WSS-M2C913-D specifications.

CHARACTERISTICS

- Its superior thermal and oxidation stability maintains its performance during the long oil drain interval.
- It provides excellent soot, sludge, deposit control and engine cleanliness.
- Its excellent fluidity during cold weather conditions provides fast lubrication of engine parts during first start up, so protects the engine against wear.
- It reduces oil consumption due to Its low volatility; so helps the decrease of hydrocarbon pollution.

PERFORMANCES

- ACEA A5/B5
- API SL/CF
- FORD WSS-M2C913-D
- RENAULT RN 0700

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,853
Viscosity@ 40°C, mm²/s	ASTM D 445	54,2
Viscosity@100°C, mm²/s	ASTM D 445	9,7
Viscosity Index	ASTM D 2270	167
Flash Point, °C	ASTM D 92	230
Pour Point, °C	ASTM D 97	-45
TBN, mgKOH/g	ASTM D 2896	10,1

OPET.TDS.0102/Rev.10/02.03.2022



1/2

opetfuchs.com.tr



technical data sheet

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers spesifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.

MKoc

OPET.TDS.0102/Rev.10/02.03.2022

2/2

Phone: +90 216 522 69 00