







Professional range

Power Steering Stop Leak

Wynn's Power Steering Stop Leak is an oil soluble supplement to stop and prevent leaks in the power steering system.

Properties

- ✓ Prevents and stops oil leaks without dismantling.
- ✓ Revitalises rubber and neoprene seals and "O" rings.
- ✓ Cleans and protects the system by means of detergents and dispersants.
- ✓ Smoothes and quietens power steering action.
- ✓ Prevents ageing and oxidation of power steering oil.
- ✓ Prolongs component life.

Applications

✓ Can be added to all conventional power steering oils meeting Dexron II, Dexron III, Dexron VI, Ford, Citroën, LHM, power steering oil G 002 000 for VW-Audi-Seat-Skoda-BMW-Porsche-Mercedes-Saab-Volvo or equivalent specifications. Cannot be added to Citroën LHS oil.

Technical data

Appearance : brown liquid Density at 20° C : ca. 0,879 kg/dm³

Refractive index at 20°C: ca. 1,479 Viscosity at 40°C : ca. 29 mm²/s Viscosity at 100°C : ca. 5,5 mm²/s

Directions

✓ One tube of 125 ml treats 2 litres of power steering oil.

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.

PN 645XX_tubes - Last update: 06/01/2012





Packaging

PN 64503 – 24x125 ml tubes – EN/FR/DE/NL/IT/ES
PN 64505 – 12x125 ml tubes in blister – EN/FR/DE/NL/IT/RU/EL/CS/PL/SV

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium Tel: 32-3-766.60.20 - Fax: 32-3-778.16.56 – E-mail: mail@wynns.eu – website: www.wynns.eu

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.

PN 645XX_tubes - Last update: 06/01/2012