

Fullmaster Turbo 20W-50

Effective Protection in Harsh Conditions



PRODUCT DESCRIPTION

Fullmaster Turbo 20W-50, is a diesel engine oil developed with the perfect combination of additives and quality base oils to protect your engine in hot climate.

APPLICATIONS

- It is suitable to use in naturally aspirated or turbocharged diesel engines of light or heavy commercial vehicles, agricultural or construction equipments.

CHARACTERISTICS

- Superior protection of engines operating in harsh conditions and at high performance, especially in countries with hot climates.
- Provides effective protection for vehicles with high mileage.
- The improved additive system prolongs the life of the engine parts by keeping them cleaner.

PERFORMANCES

- ACEA E7
- API CH-4/SJ
- CAT ECF-1-A
- MAN 3275
- MB-APPROVAL 228.1

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,890
Viscosity@ 40°C, mm ² /s	ASTM D 445	163,0
Viscosity@100°C, mm ² /s	ASTM D 445	18,3
Viscosity Index	ASTM D 2270	126
Flash Point, °C	ASTM D 92	246
Pour Point, °C	ASTM D 5950	-30
TBN, mgKOH/g	ASTM D 2896	10,5

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers specifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.