

technical data sheet

Fulllife LPG 5W-30

Optimum Lubrication for LPG Vehicles







PRODUCT DESCRIPTION

Fulllife LPG 5W-30, is a synthetic based engine oil that is formulated with advanced additive technology to meet the lubrication needs of passenger vehicles or light commercial vehicles with LPG engines. Its special formula with high-quality base oils and advanced additive technology reduces wear and provides fuel economy.

APPLICATIONS

• It is suitable for use in new and modern technology passenger vehicles and light commercial vehicles with LPG engines.

CHARACTERISTICS

- It provides an easy first start even at low temperatures.
- Its high thermal and oxidation stability maintains its performance until the next oil changes.
- It maintains lubrication even under extreme operating conditions due to its durable oil film strength.
- Its high viscosity index provides superior engine performance for all-season.

PERFORMANCES

- ACEA A5/B5
- API SN
- RN 700

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,857
Viscosity@ 40°C, mm²/s	ASTM D 445	62,5
Viscosity@100°C, mm²/s	ASTM D 445	10,5
Viscosity Index	ASTM D 2270	155
Flash Point, °C	ASTM D 92	2226
Pour Point, °C	ASTM D 97	-33
TBN, mgKOH/g	ASTM D 2896	9,5

OPET.TBF.207Rev.05/02.02.2024



1/2

Phone: +90 216 522 69 00



technical data sheet

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with used oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers spesifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.

⋘Koc

OPET.TBF.207Rev.05/02.02.2024

No: 32 Giriş Katı TR 34662 Altunizade/Üsküdar/İSTANBUL

opetfuchs.com.tr