



Fullmax 10W-40

Synthetic Based Protection



PRODUCT DESCRIPTION

Fullmax 10W-40, is a synthetic based engine oil developed to meet high performance requirements of passenger cars or light commercial vehicles. It has been formulated with a unique combination of highquality base oils and advanced additive technology to provide superior engine protection.

APPLICATIONS

It is suitable for use in gasoline or diesel engines of passenger cars or light commercial vehicles

CHARACTERISTICS

- It extends engine life while operating in high temperatures.
- Its active cleaning feature controls the forming of deposits and sludge, so keeps the engine parts clean.
- It maintains its lubrication until the next oil changes due to its high oxidation stability.

PERFORMANCES

- ACEA A3/B4 •
- API SN
- FIAT 9.55535 G2
- MB APPROVAL 229.3 / 226.5
- PSA B71 2300
- **RENAULT RN 710/700**
- VW 501.00 / 505.00

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,867
Viscosity@ 40°C, mm²/s	ASTM D 445	100
Viscosity@100°C, mm²/s	ASTM D 445	14,7
Viscosity Index	ASTM D 2270	155
Flash Point, ºC	ASTM D 92	230
Pour Point, °C	ASTM D 5950	-33
TBN, mgKOH/g	ASTM D 2896	10,9

OPET.TDS.0104/Rev.13/04.01.2024

s Koc

OPET FUCHS MADENI YAĞ SANAYI VE TİCARET A.S. Phone: +90 216 522 69 00 Ord. Prof. Dr. Fahrettin Kerim Gökay Cad. Eşref Çakmak Plaza No: 32 Giriş Katı TR 34662 Altunizade/Üsküdar/İSTANBUL

Fax :+90 216 522 69 90 teknikservisler@opetfuchs.com.tr opetfuchs.com.tr



HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with used oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers spesifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.

OPET.TDS.0104/Rev.13/04.01.2024

OPET FUCHS MADENİ YAĞ SANAYİ VE TİCARET A.Ş. Ord. Prof. Dr. Fahrettin Kerim Gökay Cad. Eşref Çakmak Plaza No: 32 Giriş Katı TR 34662 Altunizade/Üsküdar/İSTANBUL

2/2

Phone: +90 216 522 69 00 Fax : +90 216 522 69 90 teknikservisler@opetfuchs.com.tr opetfuchs.com.tr