

technical data sheet

Fullmax LPG 10W-40

Synthetic Based Maximum Protection for LPG -







Vehicles

PRODUCT DESCRIPTION

Fullmax LPG 10W-40, is a synthetic based engine oil that is formulated with advanced additive technology to meet the lubrication needs of new generation vehicles with LPG. It is developed with special anti-wear additives to minimize engine wear.

APPLICATIONS

It is suitable for use in new generation vehicles with LPG.

CHARACTERISTICS

- It controls the formation of deposits and sludge, so keeps the parts of the engine clean and extends engine life.
- Its high oxidation stability maintains its protection until the next oil changes.
- It provides an easy first start even at low temperatures.
- Its maintains its lubrication even under extreme operating conditions due to its durable oil film strength.

PERFORMANCES

- ACEA A3/B4
- API SN/SM
- MB APPROVAL 226.5/229.3
- WV 501 01 / 505 00

SON KOC

TYPICAL PROPERTIES

| Density@15°C, g/ml | ASTM D 4052 | 0,877 |
|------------------------|-------------|-------|
| Viscosity@ 40°C, mm²/s | ASTM D 445 | 91,7 |
| Viscosity@100°C, mm²/s | ASTM D 445 | 13,5 |
| Viscosity Index | ASTM D 2270 | 149 |
| Flash Point, °C | ASTM D 92 | 232 |
| Pour Point, °C | ASTM D 97 | -39 |
| | | |



Phone: +90 216 522 69 00 : +90 216 522 69 90

teknikservisler@opetfuchs.com.tr opetfuchs.com.tr

OPET.TDS.0106/Rev.06/02.02.2024



technical data sheet

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers spesifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.



Fax : +90 216 522 69 90 teknikservisler@opetfuchs.com.tr opetfuchs.com.tr

Phone: +90 216 522 69 00