

Fullgear Series

General Purpose Gear Oils



PRODUCT DESCRIPTION

Fullgear Series, is a mineral automotive gear oil that has been developed for all types of gear operating under normal conditions. It does not contain extreme pressure (EP) additives, so it is suitable to use in gear systems, synchronised transmissions and differentials not operating under high load.

APPLICATIONS

- It can be used in spur and helical gears operating under normal conditions.
- It is suitable to use in gear systems, synchronised transmissions and differentials not operating under high load.

CHARACTERISTICS

- Provides effective rust and corrosion protection.
- Prevents lubricant film breakdown by controlling foaming.

PERFORMANCES

- API GL-1

TYPICAL PROPERTIES

SAE		90	140
Density@15°C, g/ml	ASTM D 4052	0,897	0,903
Viscosity@ 40°C, mm ² /s	ASTM D 445	187,6	375,5
Viscosity@100°C, mm ² /s	ASTM D 445	17,0	26,7
Viscosity Index	ASTM D 2270	95	95
Flash Point, °C	ASTM D 92	235	260
Pour Point, °C	ASTM D 97	-15	-9

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers specifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.