



TECHNICAL DATA SHEET

BRAKE and CLUTCH CLEANER

PRODUCT DESCRIPTION

Brake and Clutch cleaner is developed to clean metal parts of vehicles. Is is used for cleaning of brake pads, engine surface and clutches.

USAGE

- Shake before use.
- First remove excessive dirt. Spray on parts. Let the products evaporate or wipe off with a clean cloth.

CHARACTERISTIC/ADVANTAGES

- Removes oil, wear metals and dirt from brake arm and clutches.
- Cleans brake drum and disks.
- Cleans asbestos and clutch dust, sludge, rust and other dirt accumulated on the surfaces.
- Evaporates after the application, so does not leave any residue.
- It is chlorine and acetone free, does not harm to human health.
- It can be applied by horizontally, upright and upside down due to its ball spray system.

TYPICAL PROPERTIES

Appearance	Clear
Odor	Mild solvent odor
Boiling Point	50-100°C
Melting Point	<-20°C
Flash Point	<0°C
Specific Gravity, g/cm ³	0,6818 – 06832



TECHNICAL DATA SHEET

HEALTH AND SAFETY RECOMMENDATIONS

It is flammable, so must be kept away from fire and sparks. Eye contact should be avoided. In case of eye contact, wash with plenty of water. If contact with skin, wash the area immediately with plenty of water and soap. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers specifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.