



Product specifications



Professional range

Automatic Transmission Treatment

Wynn's Automatic Transmission Treatment is an oil soluble supplement developed to stop and prevent leaks and ease shifting.

Properties

- ✓ Stops and prevents leaks.
- ✓ Rejuvenates rubber seals and O-rings.
- ✓ Cleans and protects the system by means of detergents and dispersants.
- ✓ Eases shifting.
- ✓ Prevents ageing and oxidation of automatic transmission fluids.
- ✓ Prolongs component life.

Applications

- ✓ Can be added to all conventional ATF fluids meeting Dexron II, III or VI, Ford, LHM or equivalent specifications.
- ✓ Also for power steering systems containing ATF fluid.

Technical data

Appearance	: brown liquid
Density at 20°C	: ca. 0,879 kg/dm ³
Refractive Index at 20°C:	ca. 1,479
Viscosity at 40°C	: ca. 29 mm ² /s
Viscosity at 100°C	: ca. 5,5 mm ² /s

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
 Tel: 32-3-766.60.20 - Fax: 32-3-778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.eu

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.



Product specifications

Directions

- ✓ Add product to the ATF.
- ✓ Do not overfill.
- ✓ 1 can of 325 ml treats up to 6,5 litres automatic transmission fluid.
- ✓ For power steering systems : 50 ml/litre oil

Packaging

PN 64544 - 24x325 ml – EN/SV/RU/FR/DE/NL

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3-778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.eu

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.